

Puncture needles and -sets

Quality – Made in Germany

Labotect ovarian biopsy needles and sets are developed for medical use in the field of assisted reproduction Product features:

- Needles and sets for follicular puncture
- Facet bevel
- Ergonomic handle
- Grinded or corroded echo marking
- Validated ETO-sterilization
- MEA/LAL tested
- Medical device class IIa

ddress: abotect Labor-Technik-Götting (ampweg 12 7124 Rosdorf Sermany

istal address: botect Labor-Technik-Gö istfach 200212 087 Göttingen vernanv one +49 551 50 50 10 x +49 551 50 50 11 hail: info@labotect.co b: www.labotect.co Court of register: Göttingen: HRB 139 VEEE-Reg-No: DE 86039820 Aanaging director: Jelia Schinkel-Fleitmann Dr. Friederike Fleitmann

ART



Single lumen puncture sets

with corroded echo marking, without flushing tube:

		Outer		Length of	Length of	
	Needle	diameter of	Plug for	tubing from	tubing from plug	Luer
	length	the needle	tubes with	needle to plug	to aspirator	connection
REF	(mm)	(mm / G)	ml	(mm)	(mm)	on plug
13441	300	1.4 / 17	14	1300	1000	yes
13444	300	1.4 / 17	26	1300	1000	no
15138	330	1.0 / 19	14	1300	1000	yes
16783	300	1.4 / 17	14	800	800	yes
16785	330	1.0 / 19	14	800	800	yes

with corroded echo marking and flushing tube:

		Outer			Length of	Luer	
	Needle	diameter of	Plug for	Length of tubing	tubing from plug	connection	
	length	the needle	tubes with	from needle to	to aspirator	on flushing	
REF	(mm)	(mm / G)	ml	plug (mm)	(mm)	tube	
13443	300	1.4 / 17	14	1300	1000	yes	
Length of tubing for flushing: 1000							
16445	300	1.4 / 17	14	750	30	yes	

Length of tubing for flushing: 750

with grinded echo marking, without flushing tube:

		Outer			Length of	
	Needle	diameter of	Plug for	Length of tubing	tubing from plug	Luer
	length	the needle	tubes with	from needle to	to aspirator	connection
REF	(mm)	(mm / G)	ml	plug (mm)	(mm)	on plug
13438	300	1.4 / 17	14	1300	1000	yes
13440	300	1.4 / 17	26	1300	1000	no
13450	300	1.4 / 17	14	500	1800	no
13451*	300	1.4 / 17	14	1300	1000	no
13452*	300	1.4 / 17	14	500	1000	no
13452L*	300	1.4 / 17	14	1000	1000	no

with firm tubing

Technik-Göttingen GmbH





ART

Double lumen puncture sets

with grinded echo marking and flushing tube:

		Outer			Length of	Luer		
	Needle	diameter of	Plug for	Length of tubing	tubing from plug	connection		
	length	the needle	tubes with	from needle to	to aspirator	on flushing		
REF	(mm)	(mm / G)	ml	plug (mm)	(mm)	tube		
13463	330	1.6 / 16	14	390	1000	yes		
Length of tubing for flushing: 350 mm								
16784	330	1.6 / 16	14	800	800	yes		
Length of tubing for flushing: 800 mm								

Length of tubing for flushing: 800 mm





Rev. 11_09/2020

Address: Labotect Labor-Technik-Göttingen GmbH Kampweg 12 37124 Rosdorf Germany ostal address: botect Labor-Technik-Göttingen GmbH sstfach 200212 087 Göttingen armanv

Phone Fax Email: Web:

+49 551 50 50 10 +49 551 50 50 111 info@labotect.com www.labotect.com rt of register: Göttingen: HRB 1394 EE-Reg-No: DE 86039820 aging director: a Schinkel-Fleitmann Friederike Fleitmann