

# UNIQUE VISIBILITY AND ADAPTABILITY

DERIVO® 2 Embolisation Device




- For vessel diameters from 1.5 – 8.0 mm
- Compatible with 0.0165" – 0.039" ID (micro)catheters
- Class leading visibility and vessel wall adaptability



# DERIVO® 2 Embolisation Device

The DERIVO® 2 Embolisation Device is the next generation of our proven and reliable flow diverter optimised for different treatment options.

**SOPHISTICATED DESIGN –  
FOR BEST FLOW DIVERSION EFFECT**




## BROAD PORTFOLIO

The DERIVO® 2 Embolisation Device is available in a broad portfolio, enabling the treatment of vessel diameters from 1.5 – 8.0 mm with 0.0165" – 0.039" ID (micro)catheters.


With device lengths from 10 – 50 mm (depending on device diameter) and different transport wire configurations the DERIVO® 2 Embolisation is suitable for most anatomical situations.

## PERFECT VISIBILITY

The DERIVO® 2 Embolisation Device is a pioneer in X-ray visibility. Nitinol composite wires with high platinum core ensure excellent visualisation of the device contour and shape, giving permanent control of stent position and opening behaviour.



*DERIVO® 2 Embolisation Device*



*Perfect visibility of DERIVO® 2 Embolisation Device*




# BlueXide® Surface Finishing

The Acandis® proprietary BlueXide® surface finishing aims to optimise biocompatibility and facilitates device delivery.

The smooth surface favours excellent opening behaviour as well as easy and safe delivery.

The corrosion protective BlueXide® surface ensures an extremely low nickel ion release enhancing haemocompatibility and endothelialisation for an improved vessel healing.

SEM (scanning electron microscope) image of the surface



## HIGHEST ADAPTABILITY


The DERIVO® 2 Embolisation Device features an outstanding flexibility combined with a well-balanced radial force leading to extraordinary adaptability even in challenging anatomies. The BlueXide® surface finishing enables a smooth delivery as well as an excellent opening behaviour of the device.

## UTMOST ACCURACY


Acandis® offers an unique sizing support in preparation of cases with the DERIVO® 2 Embolisation Device.

With the Acandis' 3D sizing simulation based on the Ankyras software, we assist physicians in choosing the optimal device dimension prior to treatment.

The DERIVO® 2 Embolisation Device is repositionable up to 90% of its lengths for precise and secure device placement.



*Highest flexibility and vessel wall adaptability*



*Simulation of DERIVO® 2 Embolisation Device (2.5 x 15 mm) with Ankyras*

# ORDERING INFORMATION

Labelled DERIVO® 2 Dimensions (mm)	Reference Number	Device Diameter (mm)	Device Length (mm)	Recommended Vessel Diameter (mm)	Required / Recommended (Micro)Catheters for Delivery (Inch)
2.5 x 10	01-107001	2.5	10	1.5 – 2.5	0.0165" - 0.017" NeuroSlider® 17 DLC
2.5 x 15	01-107002	2.5	15	1.5 – 2.5	
2.5 x 20	01-107003	2.5	20	1.5 – 2.5	
3.0 x 10	01-107005	3.0	10	2.0 – 3.0	
3.0 x 15	01-107006	3.0	15	2.0 – 3.0	
3.0 x 20	01-107007	3.0	20	2.0 – 3.0	
3.0 x 25	01-107008	3.0	25	2.0 – 3.0	
3.5 x 10	01-107009	3.5	10	2.5 – 3.5	
3.5 x 15	01-107010	3.5	15	2.5 – 3.5	
3.5 x 20	01-107011	3.5	20	2.5 – 3.5	
3.5 x 25	01-107012	3.5	25	2.5 – 3.5	
3.5 x 30	01-107013	3.5	30	2.5 – 3.5	
3.5 x 40	01-107035	3.5	40	2.5 – 3.5	
4.0 x 15	01-107014	4.0	15	3.0 – 4.0	
4.0 x 20	01-107015	4.0	20	3.0 – 4.0	
4.0 x 25	01-107016	4.0	25	3.0 – 4.0	
4.0 x 30	01-107017	4.0	30	3.0 – 4.0	
4.0 x 40	01-107039	4.0	40	3.0 – 4.0	
4.5 x 15	01-107018	4.5	15	3.5 – 4.5	
4.5 x 20	01-107019	4.5	20	3.5 – 4.5	
4.5 x 25	01-107020	4.5	25	3.5 – 4.5	
4.5 x 30	01-107021	4.5	30	3.5 – 4.5	
4.5 x 40	01-107043	4.5	40	3.5 – 4.5	
5.0 x 15	01-107022	5.0	15	4.0 – 5.0	
5.0 x 20	01-107023	5.0	20	4.0 – 5.0	
5.0 x 25	01-107024	5.0	25	4.0 – 5.0	
5.0 x 30	01-107025	5.0	30	4.0 – 5.0	
5.0 x 40	01-107047	5.0	40	4.0 – 5.0	
5.0 x 50	01-107048	5.0	50	4.0 – 5.0	
5.5 x 15	01-107026	5.5	15	4.5 – 5.5	
5.5 x 20	01-107027	5.5	20	4.5 – 5.5	
5.5 x 25	01-107028	5.5	25	4.5 – 5.5	
5.5 x 30	01-107029	5.5	30	4.5 – 5.5	
5.5 x 40	01-107052	5.5	40	4.5 – 5.5	
5.5 x 50	01-107053	5.5	50	4.5 – 5.5	
6.0 x 15	01-107030	6.0	15	5.0 – 6.0	0.039" NeuroBridge® 39
6.0 x 20	01-107031	6.0	20	5.0 – 6.0	
6.0 x 25	01-107032	6.0	25	5.0 – 6.0	
6.0 x 30	01-107033	6.0	30	5.0 – 6.0	
6.0 x 40	01-107057	6.0	40	5.0 – 6.0	
6.0 x 50	01-107058	6.0	50	5.0 – 6.0	
7.0 x 20	01-107059	7.0	20	6.0 – 7.0	
7.0 x 25	01-107060	7.0	25	6.0 – 7.0	
7.0 x 30	01-107061	7.0	30	6.0 – 7.0	
7.0 x 40	01-107068	7.0	40	6.0 – 7.0	
7.0 x 50	01-107069	7.0	50	6.0 – 7.0	
8.0 x 20	01-107062	8.0	20	7.0 – 8.0	
8.0 x 25	01-107063	8.0	25	7.0 – 8.0	
8.0 x 30	01-107064	8.0	30	7.0 – 8.0	
8.0 x 40	01-107073	8.0	40	7.0 – 8.0	
8.0 x 50	01-107074	8.0	50	7.0 – 8.0	

All changes or modifications, may they be technical or other, or changes in the availability of products are expressly reserved.  
Please contact your local Acandis® representative for information on compatible (micro)catheters.



**ACANDIS GmbH**  
Theodor-Fahrner-Str. 6  
75177 Pforzheim  
Deutschland

Tel: +49 7231 155 00 0  
Fax: +49 7231 155 00 129  
E-Mail: info@acandis.com  
[www.acandis.com](http://www.acandis.com)

